

# Care of Shells, Eggs, Bones and related material



## 1. Introduction to Shells, Eggs and Bones

Shells, eggs, bone, cartilage, ivory, horn, teeth and antler are common in museum collections. They may be unaltered, as in natural history collections, or part of composite objects (for example, mother-of-pearl is often inlaid into wood). These materials are susceptible to both mechanical and chemical damage. Damage is often irreversible but can often be avoided by taking simple steps in controlling the environment.

### 2. Collection Issues

#### 2.1 Pests

Calcareous materials are not typically susceptible to pests, but rodents and other small mammals may gnaw on them. Good housekeeping and integrated pest management systems in display and storage areas will minimize infestations.

#### 2.2 Relative Humidity and Temperature

##### *I. Mould*

Relative humidity in excess of 60% can cause the growth of mould on the surface of bone and skeletal material. Ensuring that air can circulate around objects will lower the risk of a mould infestation. Some mould spores are toxic to humans and can pose health and safety concerns.

##### *II. Warping and Cracking*

Maintaining stable RH and temperature is important for protecting collections. Very low humidity or high temperatures can cause cracking and delamination (the

flaking away of the surface in thin layers) in shell, egg, and skeletal material. Fluctuations in RH can cause objects to swell and contract, resulting in splits and cracks. Bone and ivory are especially hygroscopic (water-absorbing) and so must be kept in stable environments so that they do not become cracked and warped.

#### 2.3 Handling

Shells, eggs and bone are very fragile, and careless handling can lead to irreversible breakage. Oils and sweat from hands will react chemically with specimens.



## Chapter Contents

1. Introduction to Entomology Collections
2. Collection Issues
  - 2.1 Pests
  - 2.2 Relative Humidity and Temperature
    - I. Mould
    - II. Warping and Cracking
  - 2.3 Handling
  - 2.4 Dust
  - 2.5 Light
  - 2.6 Yellowing and Discolouration
3. Display & Storage
  - 3.1 Relative Humidity and Temperature
  - 3.2 Location
  - 3.3 Light
  - 3.4 Support
    - I. Storage
    - II. Display
    - III. Materials
  - 3.5 Handling
4. Conservation
  - 4.1 Cleaning
  - 4.2 Mould
  - 4.3 Repair
5. Health & Safety
  - 5.1 Safe Handling
  - 5.2 Cleaning
  - 5.3 Mould
6. Further advice
7. References and Resources
  - I. Appendices

# Byne's Disease



These shells exhibit the cloudy surface that is indicative of the first stages of Bynesian decay. Image by A. O'Neill, National Museum of Wales.

## What is Bynesian Decay?

Acidic vapours released from wood and paper materials can react with shells and eggs, causing them to develop a chalky or powdery efflorescence called "Bynesian decay" (commonly known as "Byne's disease"). Acids interact with the calcium carbonate within shells, eggs and some rocks or fossils to form calcium acetate or calcium formate crystals on the specimen's surface. Affected specimens initially show white streaks or patches on the surface, which progress into a mouldy-looking growth. Because the crystals grow from and through the specimen, Bynesian decay leaves objects weakened and fragile. An indicator of Bynesian decay is the smell of vinegar, caused by acetic acid.

## Treatment of objects affected by Bynesian Decay

Immediately remove an affected specimen from its damaging storage environment. Under running water, gently brush away crystals from the surface then allow the specimen to dry.

**DO NOT USE** alcohol, antiseptics, boiling, freezing, or microwaving to attempt to remove Bynesian Decay.

## Preventing Bynesian Decay

Store shells in conservation-grade containers, which are acid- and lignin-free. If this is not possible, sorbent paper liners, such as carbon or KOH-impregnated paper, in the drawers and shelves of wooden cabinets can help reduce acetic acid attack. Avoid using wooden storage cupboards and non-archival quality materials as these can release harmful acidic vapours.

## 2.4 Dust

Dust attracts moisture, which can lead to problems with pests, mould, and the humidity-related damage described above. In the presence of high RH, undisturbed dust can form solid concretions, which are difficult to remove, especially from fragile specimens or labels. Improperly cleaned bones or oily samples are especially prone to collecting dust.

## 2.5 Light

Damage caused by light is cumulative and irreversible, and can result in the discolouration of artefacts; ivory is vulnerable to bleaching and any dyed objects are especially sensitive. A side effect of illuminating artefacts, especially in closed cases, is that the radiant heat from the bulbs can cause high temperatures and rapid fluctuations in relative humidity.

## 2.6 Yellowing and Discolouration

Inherent reactions within specimens can cause them to become yellow, darkened, or bleached over time. This is normal and irreversible, though it can be alarming. Oils and fats on the surface of objects can also turn yellow with age, although this can be reversed to an extent by careful cleaning.

# 3. Storage & Display

## 3.1 Relative Humidity and Temperature

Collection stores containing bone, antler, teeth and ivory should have stable environmental conditions, with relative humidity of around 50%. Very high relative humidity (which causes mould growth) and very low relative humidity (which causes cracking, spalling and deformation) should be avoided, as well as fluctuations.



## 3.2 Location

Objects made from shell, eggs, bone and related materials should be stored in a dark stable environment, free from dust and air pollution. Avoid storing objects near radiators and heating pipes, incandescent lighting and windows as these cause fluctuations in temperature and humidity. Tightly sealed storage drawers or cupboards are ideal to prevent light and dust reaching objects, but still allow easy access to the collection when required. Stores should only be lit when people are working in the area.

## 3.3 Light

Artificial light should always be used in display cases, as high UV levels in daylight causes discolouration. Light levels should not exceed 200 lux reading on a light meter, or 75 micro-watts per lumen (level of UV). For dyed or coloured objects, a maximum of 50 lux is required to prevent or reduce fading to colours. Ensure lighting has no effect on display case temperature, as very high temperatures can be reached in sealed cases in a short time. Energy-efficient bulbs are safer for display purposes as they produce minimal amounts of excess heat.

Consider the length of display time in terms of each individual object. For particularly fragile materials, contact a conservator.

Table 1: Key RH Ranges for Shells, Eggs and Bones

RH	Effect	Materials at risk
<40%	Cracking, shrinking, warping	Bone, ivory, horn, teeth
45-55%	Ideal environment	N/A
>60%	Moisture absorption, warping	Bone, ivory, horn, teeth
65-70%	Mould growth	Organic materials

# Skeletal Specimens



*Many collections may contain historic curiosities such as skeletons. Such intricately articulated objects are very delicate - small bones may only be attached by fine tendons or tissue. Larger skeletons, with heavier bones, require structural support.*

## Issues

The porosity of bone and related materials means they are stained readily by corrosion products and non-fast dyes. Staining can result from other materials used within an articulated mount, such as iron, copper-alloys and coloured materials.

Some small bones may be attached by tendons or tissue, which can become dry and brittle with age. Take care when handling and transporting specimens, and keep all disassociated bones in a small bag with the skeleton until they can be reattached.

## Handling

Never lift an articulated specimen by its bones; always lift it by the base or mount. Use both hands, providing even support and making sure that the skeleton is balanced. If a mount is large or awkward, lifting it may require two or more people. Be careful not to jolt the specimen, as this may cause bones to fall off.

## Display & Storage

Mounted bone should always be displayed in showcases to protect against dust and buffer environmental conditions.

Metal pins within an articulated specimen should be isolated from direct contact with bone and related materials. Plastic sleeving can be used, or non-metal material, such as Perspex.

Follow the environmental guidelines for temperature and relative humidity as described for shells, eggs and bones.

## Conservation

Mounted skeletal specimens in good physical condition may only need dusting with a soft brush. If this is not sufficient to remove dust and grime, ask a conservator for further treatment.

Repairing articulated skeletons is a specialist's job, requiring fine motor skills and an extensive knowledge of anatomy. Contact a taxidermist or biologist for repairs.

## 3.4 Support

### I. Storage

Objects should be stored individually to prevent abrasion as shells, eggs and bones are usually brittle and damaged easily. Drawers can be divided into compartments using strips of acid-free cardstock or foam. Inert foam can be used to line drawers to provide cushioning, and additional support at the base of the object depending on its shape can be given by acid-free tissue or undyed cotton wool. Always open drawers carefully to avoid jarring the objects.



### II. Display

When on display, avoid all contact between objects. Artefacts can be stained from contact, and abrasion damage can occur. Objects should be supported by mounts made from

Perspex, inert foam or acid-free tissue. Avoid resting objects on sharp edges (whether this is a mount or the object itself!).

### III. Materials

Avoid using rubber-based materials, as these emit sulphur which induces discolouration in ivory. Polyester wadding should be used to make nests for individual eggs. Boxes made from acid free cardboard provide adequate support and some buffer against external RH and temperature changes. Clear lidded boxes reduce handling and dust.

Perspex mounts are recommended for display, as metal pins and mounts must be isolated from the object to prevent contact, and may alter environmental conditions. Metals can also form corrosion products with dry zoological specimens and these products will permanently stain the objects surface. Perspex and plastic can be shaped for individual objects. Foam or acid-free tissue may also be used to make mounts.

Avoid using wooden storage and display cases, as these can release acidic vapours which can cause Byne's disease and other corrosive action on shells, eggs and bones. Sorbent paper liners can

mitigate this if wooden shelves must be used.

## 3.5 Handling

When transporting artefacts, always ensure that they are supported properly. Use a hand basket lined with foam and tissue for small objects, and a cart for larger ones. Always pick objects up from the bottom with both hands, never from the edges. Multi-part and fragile specimens, such as mounted skeletons, should be handled in their upright positions; ensure that joints and weak areas are supported adequately. Always ask for help if you need it.

## Do not...

...Use abrasive materials (such as abrasive powders or pastes, stiff brushes, or steel wool) to clean shells, eggs and bones.

...Store shells, eggs, bones and related materials in containers that release acidic vapours — only use conservation-grade containers and cushions.

...Be afraid to ask for help!

## 4. Conservation

Even in the best museum environments, materials can become dirty, broken or damaged. Should shells, eggs, bones and related materials need treatment, it is always best to consult a conservator. However, there are some simple steps that can be taken to improve object conditions within the museum.

### 4.1 Cleaning

Dusty shells, eggs and bones may be cleaned with a soft brush or cloth and a variable-speed vacuum. Vulcanized rubber sponges or vinyl erasers may be used to remove heavier surface soiling, though care must be taken around any fragile areas or decorations.

Ivory and non-porous bone or shell can be cleaned sparingly with water and a mild soap. Apply the soapy solution to the surface with a cotton swab, cleaning only a few centimeters at a time and drying immediately with a clean swab or soft tissue. Afterwards, repeat the process using only clean water to remove any soapy residues. **Never soak shells, eggs, bones or any related materials such as horn, antler or ivory!**

Greasy stains may be removed carefully using saliva and a cotton swab, as the enzymes in saliva break down grease (Romão et al 1990). Rinse your mouth with water and lightly moisten the swab. Dispose of swab after one cleaning motion; never attempt to remoisten a used swab.

### 4.2 Mould

While mould is not a concern for most examples of shells, eggs, bones and related materials, improperly cleaned artefacts, composite artefacts and dirty artefacts can become infested. Mould can often be confused with Byne's disease, but can be distinguished under a microscope—Byne's disease is clearly crystalline.

Mould spores can be harmful to humans; always wear a mask and nitrile gloves when handling mouldy objects. Very carefully touch the mould with a paintbrush: if the mould is dry and powdery, it is dead and can be brushed away into a museum vacuum equipped with a HEPA filter. If the mould smears, it is still alive and can spread. If so, seal the object in a plastic bag and call a conservator for treatment. Check the case and any surrounding materials for signs of an infestation.

### 4.3 Repair

If a specimen breaks, collect all of the fragments and store them together until a conservator can be contacted.

Consult a conservator for the repair of shells, eggs and bones. Many adhesives and coatings can discolour and embrittle over time and often do more harm than good, hence, specialist products are required.

## 5. Health & Safety

### 5.1 Safe Handling

When moving an object, ensure correct lifting procedure and posture is used. Only move one object or specimen at a time, and handle all objects with two hands. Do not attempt to move large or heavy objects by yourself, as this will cause unnecessary strain and pressure on the object, and increase the risk of damage.

Particularly old specimens of shell, egg or ivory may be extremely fragile and delicate. Always remove these objects from storage very slowly and carefully.

### 5.2 Cleaning

If cleaning or dusting an object, always wear gloves and suitable personal protective equipment. This may include a dusk mask and use of a fume cupboard. Use museum-grade vacuums (e.g., Museum-Vac brand) equipped with HEPA filters.

### 5.3 Mould

Some mould spores are toxic to humans and can pose severe health and safety concerns. Isolate the affected objects and seal them in plastic bags, then consult a conservator or specialist.

### Ivory and Rhinoceros Horn - Security

*The sale and trade of ivory, rhinoceros horn, tortoiseshell and other endangered species is controlled under the United Nations Convention on International Trade in Endangered Species of Wild Flora and Fauna. Please ensure that all items of this type acquired after 1947 have proper documentation proving their legal status and ownership.*

*Due to their rarity and desirability, rhinoceros horns are financially valuable. If your collection contains ivory or horn artifacts you may want to obtain specialist security advice.*

## 6. Additional Information

This information sheet was compiled by [Cardiff University Conservation](#) students as part of the Federation of Museums and Art Galleries in Wales project 'Linking Natural Science Collections in Wales', funded by [Esmée Fairbairn Collections Fund](#) and supported by the [Welsh Government's Museums Libraries Archives Division](#) and [Amgueddfa Cymru – National Museum Wales](#). You can find information about the project on the website of the [Federation of Museums and Art Galleries in Wales](#).

This leaflet provides a brief introduction to the subject. If you require detailed advice on the care of museum collections please consult your regional conservator or the Institute of Conservation's [Conservation Register](#).

## 7. References and Publications

Bradley, S. 1993. *A Guide to the Storage, Exhibition and Handling of Antiquities, Ethnographia and Pictorial Art*. London: The British Museum Press.

Brokerhof, A. 1998. Application of sorbents to protect calcareous materials against acetic acid vapours. The Netherlands Institute for Cultural Heritage. [Online]. Available at: [http://iaq.dk/iap/iap1998/1998\\_10.htm](http://iaq.dk/iap/iap1998/1998_10.htm)

Calloman, P. 2013. Byne's disease: questions and answers. Conchologists of America, Inc. [Online]. Available at: [http://www.conchologistsofamerica.org/articles/y2002/0209\\_callomon.asp](http://www.conchologistsofamerica.org/articles/y2002/0209_callomon.asp)

*Convention on International Trade in Endangered Species of Wild Flora and Fauna*. Signed: Washington, D.C., 3 March, 1973. Amended: Bonn, 22 June, 1979.

Godfrey, I.M. 1998. *Ivory, Bone and Related Materials*. In: Gilroy, D. & Godfrey, I. (ed.). **Conservation and Care of Collections**. Perth: Western Australian Museum, 47-52.

Minnesota Historical Society. *Bone, Antler, Ivory and Teeth* (Online). Available at: [http://www.mnhs.org/preserve/conservation/connecting\\_mn/docs\\_pdfs/repurposedbook-bone...\\_000.pdf](http://www.mnhs.org/preserve/conservation/connecting_mn/docs_pdfs/repurposedbook-bone..._000.pdf) [Accessed: 03-01-2014].

National Park Service. 2008. Byne's "Disease": How to recognize, handle and store affected shells and related collections. *Conserve O Gram*, Number 11/15 (August 2008). [Online]. Available at: <http://www.nps.gov/history/museum/publications/conserveogram/11-15.pdf>

NatSCA and ICON. 2013. *Care and conservation of zoological specimens*. The Institute of Conservation (Online). Available at: <http://www.icon.org.uk/images/stories/CareConZOOLOGICAL%20A4%20version%20final.pdf> [Accessed: 02-01-2014].

Stolow, N. 1987. *Conservation and Exhibitions: Packing, transport, storage and environmental conditions*. London: Butterworths.

Stone, T. 2010. *Care of Ivory, Bone, Horn and Antler - CCI Notes 6/1* (Online). Available at: <http://www.cci-icc.gc.ca/publications/notes/6-1-eng.aspx> [Accessed: 02-01-2014].

Smithsonian Museum Conservation Institute. *The Care and Handling of Ivory Objects*. [Online]. Available at: [http://www.si.edu/mci/english/learn\\_more/taking\\_care/ivory.html](http://www.si.edu/mci/english/learn_more/taking_care/ivory.html)

### Appendix 1. List of Tables

Table 1: Key RH Ranges for Shells, Eggs and Bone p.2

### Appendix 2. List of Inserts

1. Byne's Disease p.2
2. Mounted Skeletal Specimens p.3
3. "Do not..." p. 4
4. Ivory and Rhinoceros Horn p.4